

Property Location: 153 DWIGHT RD										MAP ID: 2/ 63/ 37/ /										Bldg Name:										State Use: 101																													
Vision ID: 1164										Account # 1194										Bldg #: 1 of 1										Sec #: 1 of 1										Card 1 of 1										Print Date: 12/14/2017 20:50									
CURRENT OWNER										TOPO.					UTILITIES					STRT./ROAD					LOCATION					CURRENT ASSESSMENT										1006 153 DWIGHT RD EAST LONGMEADOW, MA 01028 Additional Owners: 																			

CONSTRUCTION DETAIL				CONSTRUCTION DETAIL (CONTINUED)			
Element	Cd.	Ch.	Description	Element	Cd.	Ch.	Description
Style	02		BUNGALOW	#Heat Sys	1		
Model	01		RESIDENTIAL	Central Vac	0		NO
Grade	C		AVERAGE	FBM Sqft			
Stories	1.50		1 1/2 STORIES	Int vs Ext	S		SAME
Foundation	2		CONC BLOCK	MIXED USE			
Exterior Wall 1	4		VINYL	Code	Description		Percentage
Exterior Wall 2	16		STONE VENR	101	ONE FAM		100
Roof Structure	1		GABLE				
Roof Cover	1		ASPHALT SH				
Interior Wall 1	1		DRYWALL				
Interior Wall 2	8		PLYWD PANL	COST/MARKET VALUATION			
Interior Floor 1	3		HARDWOOD	Adj. Base Rate:		87.14	
Interior Floor 2	2		SOFTWOOD				
Heat Fuel	2		GAS	Replace Cost		145,530	
Heat Type	5		STEAM	AYB		1929	
AC Type	01		NONE	EYB		1987	
Bedrooms	3			Dep Code		GD	
Full Baths	1			Remodel Rating			
Half Baths	0			Year Remodeled			
Extra Fixtures	2			Dep %		30	
Total Rooms	6			Functional Obslnc			
Bath Style	A		AVERAGE	External Obslnc		5	
Kitchen Style	A		AVERAGE	Cost Trend Factor		1	
Kitchens	1			Condition			
Extra Kitchens	0			% Complete			
Frame	1		WOOD	Overall % Cond		65	
Basement Floor	12		CONCRETE	Apprais Val		94,600	
Bsmt Garage				Dep % Ovr		0	
Units	1			Dep Ovr Comment			
WS Flues				Misc Imp Ovr		0	
FBM Quality				Misc Imp Ovr Comment			
Fireplaces	1			Cost to Cure Ovr		0	
				Cost to Cure Ovr Comment			

OB-OUTBUILDING & YARD ITEMS(L) /XF-BUILDING EXTRA FEATURES(B)												
Code	Description	Sub	Sub Descript	L/B	Units	Unit Price	Yr	Gde	Dp Rt	Cnd	%Cnd	Apr Value
03	GARAGE	OB	Outbuilding	L	210	28.18	1930	F		AV	60	3,200
03	GARAGE	OB	Outbuilding	L	180	28.18	1930	F		AV	60	2,700

[illegible]